


Name: _____ Date: _____ Period: _____

Shock Crossword



Across

1. When shock results from actual loss of blood (2 words)
2. Patient has been in decompensated shock for a certain period of time and multiple organs have failed (2 words)
5. The refilling of capillaries, blood going back into them and oxygenating them (2 words)
10. Penetrating injury through the abdomen in which bowl is showing through
11. When body fluids are lost and not adequately replenished (2 words)
13. Shock that results from infection and toxins in the bloodflow (2 words)
14. Point when systolic blood pressure drops below 90mm (2 words)

16. State in which the body is compensating for the hypoperfused state it's in by shutting down certain organs and increasing heart/respiratory rate (2 words)
17. The amount of blood the heart pumps to the body in 1 minute (2 words)
18. Inadequate blood flow and oxygenation of body tissue and organs
19. Measuring vital signs in two different positions (2 words)
20. Condition brought on by exposure to something that the patient is extremely allergic to (2 words)

Down

3. Shock resulting from spinal cord injury and disruption of the nerve control to the blood vessels (2 words)
4. Shock resulting from inadequate cardiac pumping action (2 words)

6. Device that may serve to support blood pressure in certain circumstances (abbreviation)
7. The volume of blood pumped out with each beat (2 words)
8. When area of edema may be localized to patches of skin, as seen in hives
9. Change in blood pressure associated with a change in position or posture (2 words)
12. The state that the body is in when parts of it are hypoperfused
15. Delivery of oxygenated blood to tissue and organs throughout the body