
## Fever: causes & treatment



## Across

- 2. Symptoms: fever/decreased PO intake, rash on hands/feet
- 3. Symptoms: Non-blanching rash, neck stiffness & fever
- **6.** Correct dosage of

\_for a 20kg child is

## 200mg

- **9.** Symptoms: Fever with barky cough
- **14.** Symptoms: painful urination, fever
- **15.** Symptoms: sore throat fever
- **17.** Symptoms: abd pain, fever, vomiting, diarrhea

- **19.** Symptoms: Fever > 5 days with red eyes, rash, strawberry tongue, peeling of skin on hands & feet
- **20.** Symptoms: Fever with hx of "bug bite"

## **Down**

- 1. Symptoms: Fever copious nasal secretions and wheezing
- **4.** Symptoms: RLQ abd pain, nausea, fever
- **5.** Symptoms: cough/fever. May need X-ray to diagnose
- **7.** Kids should not be given this medication to treat fever
- **8.** Symptoms: Fever and limping with no known trauma

- 10. Children with fever should be encouraged to maintain adequate \_\_ intake
- 11. Symptoms: Fever, ear pain
- 12. Medication used to treat fever
- 13. Children between the ages of 6 months and 5 years might experience a febrile \_\_\_\_\_. About a third of the children who
- have one will have another. **16.** Correct dosage of \_\_\_\_\_ for a 10kg child is 150mg
- **18.** A neonate with a fever will recieve a \_\_\_\_\_ work up