
Fever: causes & treatment



Across

- **2.** Symptoms: fever/decreased PO intake, rash on hands/feet
- 3. Symptoms: Non-blanching rash, neck stiffness & fever
- 6. Correct dosage of

__for a 20kg child is

200mg

- **9.** Symptoms: Fever with barky cough
- **14.** Symptoms: painful urination, fever
- 15. Symptoms: sore throat fever
- **17.** Symptoms: abd pain, fever, vomiting, diarrhea

- **19.** Symptoms: Fever > 5 days with red eyes, rash, strawberry tongue, peeling of skin on hands & feet
- **20.** Symptoms: Fever with hx of "bug bite"

<u>Down</u>

- 1. Symptoms: Fever copious nasal secretions and wheezing
- **4.** Symptoms: RLQ abd pain, nausea, fever
- **5.** Symptoms: cough/fever. May need X-ray to diagnose
- **7.** Kids should not be given this medication to treat fever
- **8.** Symptoms: Fever and limping with no known trauma

- 10. Children with fever should be encouraged to maintain adequate __ intake
- 11. Symptoms: Fever, ear pain
- 12. Medication used to treat fever
- 13. Children between the ages of 6 months and 5 years might experience a febrile ____. About a third of the children who
- have one will have another.

 16. Correct dosage of _____ for
- a 10kg child is 150mg

 18. A neonate with a fever will
- **18.** A neonate with a fever will recieve a _____ work up