
Name:	Date:
-------	-------

Data and Statistics CrossWord



Across

- **3.** one of the measures of spread, related to the mean
- 5. the original number
- 10. a graph that is in a straight line
- 11. a least squares line of best fit
- **13.** Data that is collected by someone else
- **14.** making predictions from a graph outside the range of known values
- 17. A data set that contains values for two variables
- **18.** the variable within a bivariate pair that varies because of changes in the other variable
- **20.** The value below which the started percentage of results lie
- **21.** A percentile expressed in decimal form

- **22.** two or more box plots drawn on the same scale
- **23.** two or more dot plots drawn for comparative purposes
- **24.** a graph of bivariate each data pair is represented by a point on the graph **Down**
- 1. making predictions from a graph within the range of known values
- **2.** another name for a cumulative frequency curve
- **4.** the five key values used to draw a boxplot
- **6.** A simple way of representing statistical data on a plot
- **7.** The variable within a bivariate pair that causes change in the other

- **8.** a statistical measure of spread; it is the mean of the squares of the deviations from the mean value
- **9.** a number that cant be written in fractional form
- **12.** the difference between the upper and lower quartile of a data set
- **15.** A number in a set of data that is either way smaller or way bigger than most of the data
- **16.** the difference between the largest results and the smallest results in a data set
- 19. Data that is collected by the user