Name: Date:
-------------

## Catheter-Associate Urinary Tract Infection Prevention Crossword

													,	
<u>Across</u>												1 A		
3. Always keep track of												L		
measurements of urinary output in critically ill		<sup>4</sup> I	1			<sup>3</sup> A	С	С	U	R	Α	T	Е	<sup>5</sup> B
patients  for post popo patients its	6	1		ı	7	1		8			1	E		-
6. for post-pone patients its important to catheter within 1-2 days	°R E	M	0	٧	Έ V			°W_	Α	Т	E	R N	-	E L
8. Use soap and to		90	R	D	E	R			<sup>10</sup> P			<sup>11</sup> A	V	0
perform pericare daily		В		<u> </u>	R				Н			Т	Ė	W
<b>9.</b> Always fallow physicians					Y				Y			<u> </u>		
for catheter		Ë			<u> </u>	]			S			V		
removal		_						<sup>13</sup> K	_		l .,		_	i
11. to reduce CAUTI the nurse should					14 _	1	15	K		N	K	E	D	16.
unnecessary urinary catheters		Z			<sup>14</sup> C		<sup>15</sup> M		С					<sup>16</sup> R
in patients		Α		L	L		ı		ı				10	Е
<b>13.</b> To maintain unobstructed		T		<sup>17</sup> D	0	W	N	W	Α	R	D		<sup>18</sup> S	Т
flow, be sure catheter tubing is not		Ι			S		I		N					E
17. It is important to wash		0			Ε		М							N
the catheter from		N	1		<sup>19</sup> D	Α	Ι	L	Υ					Т
catheter-metal junction, wiping to the end			1				Z							ī
of the flexible catheter					<sup>20</sup> A	S	Е	Р	Т	I	С			0
<b>18.</b> Some of the signs and								<u> </u>			<u> </u>	l		N
symptoms of UTI are fever,														
rigor, flank pain and altered mental	<b>7.</b> Em	pty	cat	het	er	bag	, a	t						
19 review patients	least _ <b>10.</b> Do				nift + o	r								
charts for catheter necessity	discon						vith	nout	t a					
20. Always use			ord											
technique during insertion	12. Scrub all connections													
Down  1 Always consider	between catheter and the drainage tubing for at least 20													
1. Always considerbladder management methods			_					136 2	20					
<b>2.</b> Review urinary catheter insertion prior to foley	14. Ma													
insertion prior to rotey	continuously drainage system													
4. Prolonged is	<b>15.</b> Al	way	/S _			uriı	nar	У						
another indication for	catheter usage and duration in													
indwelling urethral catheter use	all pat			ina	r.,			ic						/-
<b>5.</b> Keep catheter bag	16. Ac	the	: uı e in	dic	y _ atio	ons	for	_ 15						
the level of the	cathet													
bladder														