


Periop, Week 4



Across

- 3. A colorless, flammable, explosive gas that can be used to sterilize heat & moisture sensitive items. _____
- 4. Type of scissor used to cut suture? _____
- 10. According to the Spaulding Classification System an OR bed is considered? _____
- 12. Always hand/pass a powered instrument to the surgeon with the _____ on.
- 16. The scrub should practice sharp safety by using a _____ when passing sharps.
- 18. End of procedure cleaning (room turnover) is also called _____ cleaning.
- 20. A colonoscope is a _____ item (according to Spaulding Classification).
- 21. Any germicide labeled as a _____ has passed the potency test for activity against Pseudomonas, Staphylococcus, and Salmonella.

24. Keep titanium & stainless steel microsurgical instruments _____ as they can react with each other.

Down

- 1. Cholecystectomy without spillage of bile is which wound classification? _____
- 2. The first step in the Sterilization process.
- 5. Thorough environmental cleaning performed at the end of the day is called _____ cleaning.
- 6. What category of surgical instrument is a chisel & curette?
- 7. Class III type of wound is called _____.
- 8. All horizontal surfaces should be _____ before the 1st scheduled procedure.
- 9. Weitlaner is a _____ retractor.
- 11. A powered instrument that cuts layers of skin for skin grafting?
- 13. _____ should not be used to clean environmental surfaces as it is an antiseptic and not an EPA registered Disinfectant.

- 14. Process indicator used in Dynamic Air Removal (PreVac) sterilizer. _____
- 15. Use a _____ moistened sponge to clean blood/ body fluids from instruments during the surgical procedure.
- 17. Sternal saw is a _____ item (Spaulding Classification System).
- 19. Use this to load a blade onto a knife handle. _____
- 22. What category of surgical instrument is a forcep?
- 23. The absence of all living microorganisms?