


# Periop, Week 4



**Across**

- 3. A colorless, flammable, explosive gas that can be used to sterilize heat & moisture sensitive items. \_\_\_\_\_
- 4. Type of scissor used to cut suture? \_\_\_\_\_
- 10. According to the Spaulding Classification System an OR bed is considered?
- 12. Always hand/pass a powered instrument to the surgeon with the \_\_\_\_\_ on.
- 16. The scrub should practice sharp safety by using a \_\_\_\_\_ when passing sharps.
- 18. End of procedure cleaning (room turnover) is also called \_\_\_\_\_ cleaning.
- 20. A colonoscope is a \_\_\_\_\_ item (according to Spaulding Classification).
- 21. Any germicide labeled as a \_\_\_\_\_ has passed the potency test for activity against Pseudomonas, Staphylococcus, and Salmonella.
- 24. Keep titanium & stainless steel microsurgical instruments \_\_\_\_\_ as they can react with each other.

**Down**

- 1. Cholecystectomy without spillage of bile is which wound classification? \_\_\_\_\_
- 2. The first step in the Sterilization process.
- 5. Thorough environmental cleaning performed at the end of the day is called \_\_\_\_\_ cleaning.
- 6. What category of surgical instrument is a chisel & curette?
- 7. Class III type of wound is called \_\_\_\_\_.
- 8. All horizontal surfaces should be \_\_\_\_\_ before the 1st scheduled procedure.
- 9. Weitlaner is a \_\_\_\_\_ retractor.
- 11. A powered instrument that cuts layers of skin for skin grafting?
- 13. \_\_\_\_\_ should not be used to clean environmental surfaces as it is an antiseptic and not an EPA registered Disinfectant.
- 14. Process indicator used in Dynamic Air Removal (PreVac) sterilizer. \_\_\_\_\_
- 15. Use a \_\_\_\_\_ moistened sponge to clean blood/ body fluids from instruments during the surgical procedure.
- 17. Sternal saw is a \_\_\_\_\_ item (Spaulding Classification System).
- 19. Use this to load a blade onto a knife handle. \_\_\_\_\_
- 22. What category of surgical instrument is a forcep?
- 23. The absence of all living microorganisms?