Т Т R Т С Κ Е Н 0 Μ В 0 T S Т R 0 Ν н L С Ε Н Y В С Μ Ρ Е ٧ 0 L S F U R Т R 0 Κ Е 0 А А А R R A Ν G Т Т S н U L ¹⁰S Т Т U S Е Ρ L Ε Ρ Т С U S L Α L G A Ν Ν ¹²S ¹E Ρ Ρ S Ζ Е L Е Y Е U R L T С R T S ٧ 0 Т В S Ε С Ε Е Ν A R Ρ S Ε Ζ Е D L 0 А Т Н С U R I Κ Έ В С S 0 Μ 0 L Т R Κ Е I

<u>Across</u>

2. occurs from injury to a blood vessel wall and formation of a blood clot

7. patient reports this unusual sensation before the seizure takes place

8. occurs when there is ischemia to a part of the brain or hemorrhage into the brain that results in death of brain cells

10. state of continuous seizure activity, a condition in which seizures recur in rapid succession withoutt return to consciousness between seizures, lasts more than 5 minutes **11.** disease marked by a continuing predipostion to seizures, with neurobiologic, cognitive, psychologic and social consequences

12. an abnormal sudden, excessive, unconttrolled electrical discharge of neurons within the brain.

13. seizure manifested as a brief staring spell

14. occurs for no known reason and do not fit into the generalized or partial classifications

15. a type of stroke that occurs when it occludes a cerebral artery, resulting in infarction and edema

<u>Down</u>

1. seizure characterized by losing consciousness, falling to the ground, stiffness for 10-20 seconds and subsequent jerking of extrremities

3. a result from bleeding into the brain tissue

4. single most important modifiable risk factor for stroke

5. Acronym for warning signs of stroke

6. this nerve can be stimulated to control continuous simple or complex partial seizures

9. a transient episode of neurologic dysfunction caused by focal brain, spinal cord or retinal ischemia but withoutt acute infarction of the brain

week 8