
Name:	Date:
-------	-------

Hand Hygiene



Across

- 3. example of artificial nails
- **6.** You can scrub with dermatitis or lesions only if you cover it with an adhesive barrier first. true/false
- **10.** Scrubbing with a _____ may damage skin and increase the amount of bacteria shedding from hands.
- **11.** Hand hygiene shoud be performed after removing PPE, handling
- _______, and counting sponges

 12. ______ washing needs to be
 performed before the first surgical hand
 scrub of the day
- 13. Alcohol foam is flammable. It should not be place above an source.
- failure, the performance of surgical hand antisepsisi is critical for the prevention of SSIs

 18. Perform hand hygiene after contact with patient _______.

 19. Natural fingernail tips should be no longer than 2 ______.

 Down

 1. ______ based surgical hand rub dispensers can be placed in the O.R.

 2. type of nail polish allowed if

maintained and not chipped

14. The first surgical hand scrub of the day does not have to be with soap and

water before using a surgical hand rub

15. This must be removed prior to

surgical hand scrub or hand rub.

16. Due to the risk for

product.

- 4. the use of gloves does not replace the need for ______ is using soap and water to perform hand hygiene
 7. Perioperatiave members should only use _____ moisturizing skin care products
 8. Surgical hand antisepsis is the _____ line of defense to protect patients from pathogens on the hands of perioperative team members.
- 9. Perform hand hygiene before and after patient ______.
 17. surgical hand antisepsis is a hand wash or hand ______ using a surgical hand antiseptic, performed preoperatively by surghical team to remove transient flora and reduce skin

flora