
Name:	Date:

## Extremity Trauma



## Across

- **3.** the most common dislocation of the shoulder
- 5. a complication of a scaphoid fracture
- **10.** the most common injured portion to the proximal tibia
- 11. the mechanism for most upper extremity injuries
- **13.** an impaction fracture of the supralateral humeral head
- 15. the second most common injury about the wrist
- **16.** the most common direction of elbow dislocations
- **17.** the mechanism of injury for a transverse lateral malleolar fracture
- **20.** the most common fracture about the elbow in adults

- **21.** an indirect sign seen with knee injuries
- **22.** a measurement to help find calcaneal fractures
- **23.** the area where most clavicle fractures occur

## **Down**

- **1.** a injury at the base of the fifth metatarsal
- 2. the most common injury to the elbow in children
- **4.** a fracture produced by normal forces on diseased bone
- **6.** a fracture that is not visible on the day of injury
- 7. the most common of the growth plate injuries
- **8.** a fracture at the base of the fifth metacarpal

- **9.** an indirect sign of trauma about the elbow
- **12.** a radiographic sign seen with rotatory subluxation of the scaphoid
- **14.** the most commonly fractures bone in infants and children
- **18.** where do most fractures of the hip
- **19.** a term used to describe angular deformity at the fracture site