


Name: _____

Abnormal Psychology



Across

1. ___ therapy- gradually exposing the person to the real anxiety-producing situations until the anxiety decreases
3. Anxiety about being in places or situations from which escape might be difficult or embarrassing if a panic attack happens
7. About ___ of people will develop at least one mental disorder in their lifetime.
12. Disabling condition that results from personally experiencing an event that involves actual or threatened death or serious injury from witnessing or hearing of such an event
13. ___ 5 describes a uniform system for assessing specific symptoms and matching them to mental disorders
14. ___ disorders- recurring, multiple, and significant bodily symptoms that have no physical causes
16. Characterized by excessive or unrealistic worry about everything
17. irrational beliefs that have no basis in reality

18. ___ involves placing electrodes on the skull and administering mild electric current through the brain
19. Presence of two or more distinct identities or personalities is dissociative ___ disorder
20. The social norms approach says that behavior is considered ___ if it deviates greatly from accepted social standards
21. Those that suffer from antisocial personality disorder disregard the rights of others without ___
22. OCD, avoidant, borderline, antisocial, and schizotypal are all ___ disorders

Down

2. Intense or irrational fear that is out of proportion to the possible danger of the object or situation
4. ___ is a serious mental disorder that lasts for at least six months and may include delusions, hallucinations, disorganized speech and behavior, and decreased emotional expression

5. A ___ diagnosis is the process of matching an individual's symptoms to a particular mental disorder
6. Instability in personal relationships, self-image, and emotions is ___ personality disorder.
8. characterized by little or no emotional responsiveness when an emotional reaction would be expected
9. Cognitive-___ therapy involves changing negative thoughts by substituting positive ones and limiting disruptive behaviors
10. ___ disorder is marked by fluctuations between depression and mania
11. Dissociative ___ is characterized by inability to recall important personal information or events and is usually associated with stressful or traumatic events
15. ___ disorder is characterized by being chronically but not continually depressed for a period of two years