


# 2018 - Lockout/Tagout/ Tryout - Safety Training

## Across

1. The employer is responsible for making sure that all of its employees receive adequate \_\_\_\_\_ concerning the lockout program
3. The lockout/tagout/tryout regulations are federal laws that are enforced by \_\_\_\_\_
4. Parts of a machine that fall or drop when power is lost are affected by this type of potential energy
7. The lockout/tagout/tryout \_\_\_\_\_ give you the steps that you need to follow in order to safely isolate all hazardous energy sources before working on a machine
12. Lockout/Tagout/Tryout is used to isolate hazardous energy sources and to prevent death or \_\_\_\_\_ to employees
16. Which hand should an electrical disconnect switch be tripped with
17. Lockout/Tagout/Tryout involves the use of a specific lock or locks to \_\_\_\_\_ equipment from all energy sources.
18. Source of energy with air pressure
19. Only \_\_\_\_\_ employees may perform lockout/tagout/tryout procedures
20. Each lockout device must have a tag attached to identify the \_\_\_\_\_ of the person that put the lockout device in place
21. Source of energy by oil or water pressure
23. Turning flywheels, springs under compression, and cams are all forms of this type of energy
24. What time period must all lockout/tagout/tryout procedures be inspected/audited

## Down

2. \_\_\_\_\_ allow more than one lock to be applied to an energy isolating device
5. When implementing Lockout/Tagout/Tryout, \_\_\_\_\_ all affected employees in the work area.
6. Failing to follow lockout/tagout/tryout procedures is a violation of the companies Cardinal Safety Rules, besides death or injury, what else could a consequence be
8. Lockout/Tagout/Tryout procedures are not completed until you have \_\_\_\_\_ that the machine or process will not start
9. What must be put back in place before locks/tags, etc can be removed from a machine ready to be put back into service



10. If you have any questions about the lockout/tagout/tryout procedures for your machine who should you talk to first

11. All " \_\_\_\_\_ " employees must be notified before a machine is shut down and lockout/tagout/tryout procedures are performed

13. \_\_\_\_\_ by themselves, may only be used when locks cannot be used and when the employer can demonstrate that a tagout system will provide full employee protection

14. Lockout devices cannot be \_\_\_\_\_ by anyone other than the person that put the lockout device in place

15. Rectifiers and capacitors can actually store this form of energy even after power has been disconnected from the machine

22. What kind of energy sources must be controlled using lockout/tagout/tryout procedures before work may be performed on a piece of equipment

