


Name: \_\_\_\_\_

Date: \_\_\_\_\_

# Bloodborne Pathogens Puzzle



## Across

3. The main bloodborne pathogens of concern are HBV, HCV, and \_\_\_\_\_.
6. How many pathogens are regulated under the OSHA BBP Standard?
7. A positive antibody test for HIV can take up to how many weeks after exposure?
11. Approach to infection control and generally accomplished by following BSL-2 procedures: \_\_\_\_\_
14. OPIM refers to "other \_\_\_\_\_ infectious material".
16. Human cell lines must be manipulated at what biosafety level?

17. The intent of the BBP OSHA Standard is to prevent occupational \_\_\_\_\_ to bloodborne pathogens.

## Down

1. Human Immunodeficiency Virus can generally lead to \_\_\_\_\_ Immunodeficiency Syndrome (AIDS).
2. A biosafety \_\_\_\_\_ is one of the best barriers (in addition to PPE) to prevent exposure to BBPs amongst other hazards.
4. Common exposure route for bloodborne pathogens is accidents with \_\_\_\_\_ (percutaneous injury).
5. Anokion is required to offer what immunization to their employees?
8. Hepatitis B and C viruses are \_\_\_\_\_ associated diseases.

9. Bloodborne Pathogens training is required to be held \_\_\_\_\_ by the OSHA standard, 29 CFR 1910.1030.

10. Anokion is required to keep a \_\_\_\_\_ log for sharps related injuries involving human source material.
12. To prevent transmission of BBPs, treat all human source material, including cell lines, as potentially \_\_\_\_\_.
13. Gloves, safety glasses, and lab coat are required for what biosafety containment level?
15. The CDC recommends initiating medical treatment after any suspected exposure to bloodborne pathogens within how many hours?