


# Infection Control



**Across**

2. Food must be \_\_\_\_\_ to 40 degrees to prevent bacteria growth
5. Residents with stomach symptoms and/or fever are kept in their room on \_\_\_\_\_ until cleared to leave.
7. Dirty linen and laundry should be \_\_\_\_\_ in the room.
8. Food being \_\_\_\_\_ must be maintained at 135 degrees.
10. Any surface that is touched could potentially be covered with \_\_\_\_\_.
11. Urine testing should only be done when there are 3 of these without catheter, 2 with catheter
15. The term do we use for everyday practice to prevent spread of infection is \_\_\_\_\_ precautions
17. Linen closet doors must be kept \_\_\_\_\_ to decrease potential contamination.
18. Glucometers should be cleaned after each \_\_\_\_\_.
20. The blood spill kits are located in the 200 \_\_\_\_\_ dirty utility room
21. Most important defense against the spread of infection.
23. When serving food, edges of plates, rims of cups/bowls, ends of silverware must not be \_\_\_\_\_.
25. Infectious medical waste should be discarded in \_\_\_\_\_ bags
27. Staff with \_\_\_\_\_ must be off work for 24 hours after last episode.
28. Blood borne \_\_\_\_\_ are a group on infections that are carried & transmitted within blood & body fluids.
30. PPE includes Gowns, Masks, and \_\_\_\_\_.
31. Alcohol gel is not useful in killing this infection.

**Down**

1. Hand Hygiene must be performed frequently and \_\_\_\_\_ throughout the day.
3. Sharps \_\_\_\_\_ must be reported for workers compensation and infection tracking purposes.
4. Lifts should be wiped with a bleach \_\_\_\_\_ after each resident.
6. \_\_\_\_\_ should be encouraged to wash their hands before meals, after toileting, after blowing nose, etc.
9. PPE is Personal \_\_\_\_\_ Equipment.
12. Staff wear food handler gloves when \_\_\_\_\_ bread/toast, raw fruit,
13. Linen should not be \_\_\_\_\_ against uniform.
14. When moving from dirty to \_\_\_\_\_ hand hygiene must be performed
16. Life Enrichment staff \_\_\_\_\_ items such as bingo chips and tables after each activity.
19. Eye dropper tips should never touch the \_\_\_\_\_.
22. Linen, clothing, and food must be \_\_\_\_\_ when traveling through the halls.
24. Which of the top 3 blood borne pathogens can you be vaccinated against?
26. Proper hand hygiene requires at least 20 \_\_\_\_\_ of washing.
29. Staff with stomach symptoms must be off work for 48 \_\_\_\_\_ after last episode